LIST OF CONTENTS

January

The interaction of Bromophenol Blue with proteins in acidic solution
Y.-J. Wei, K.-A. Li and S.-Y. Tong (Beijing, China) 1
Potentiometric study of the protonation and distribution equilibria of 2-chlorophenol in NaCl medium at 25°C. Construction of a thermodynamic model
A. Rios, G. Arana, N. Etxebarria and L.A. Fernández (Basque Country, Spain) 11
PA·FPNS: its synthesis and use in spectrophotometric determination of magnesium
H.-M. Ma, Y.-X. Huang and S.-C. Liang (Beijing, China). 21
Determination of glycerol in alcoholic beverages using packed bed reactors with immobilized glycerol dehydrogenase and an amperometric FIA system
M.I. Prodromidis, C.D. Stalikas, S.M. Tzouwara-Karayanni and M.I. Karayannis (Ioannina, Greece) . . . 27
Study of chemical modifiers for direct determination of silver in sea water by ETA-AAS with deuterium background correction
P. Bermejo-Barrera, J. Moreda-Piñeiro, A. Moreda-Piñeiro and A. Bermejo-Barrera (Santiago de Compostela, Spain) 35
Trace level voltammetric determination of manganese, iron and chromium in real samples in the presence of each other
C. Locatelli (Bologna, Italy) 45
Sodium di-*n*-propyldithiophosphinate and activated carbon used for the concentrating of bismuth and its determination by atomic emission spectroscopy with inductively-coupled plasma
Hr.G. Malakova and Z.M. Mateva (Plovdiv, Bulgaria) 55
Liquid–liquid distribution of ion associates of hexachloroplatinate(IV) with quaternary ammonium counter ions
K. Yamamoto and S. Katoh (Tottori, Japan) 61
Study of complex formation in the manganese(II)/azide system
H.D. Moya (São Paulo, Brazil), E.A. Neves (São Carlos, Brazil), M.E.V. Suárez-Iha and N. Coichev (São Paulo, Brazil). 67
Differential pulse anodic stripping voltammetric determination of ziram (a dithiocarbamate fungicide)
L. Mathew, M.L.P. Reddy, T.P. Rao, C.S.P. Iyer and A.D. Damodaran (Trivandrum, India) 73
Determination of traces of chromium in cocaine and heroin by flameless atomic absorption spectrometry
P. Bermejo-Barrera, A. Moreda-Piñeiro, J. Moreda-Piñeiro and A. Bermejo-Barrera (Santiago de Compostela, Spain) 77
Stabilisation of tetravalent cerium in perchloric acid medium and measurement of the stability constants of its fluoride complexes using ion selective potentiometry
R.M. Sawant, R.K. Rastogi, M.A. Mahajan and N.K. Chaudhuri (Bombay, India). 89
Studies on the formation of Cu(II) and Ni(II) complexes of 1,2-dihydroxy-9,10-anthraquinone and lack of stimulated superoxide formation by the complexes
S. Das, A. Saha and P.C. Mandal (Calcutta, India) 95
The use of chlorophenol red for the selective determination of chlorine dioxide in drinking water
D.L. Sweetin, E. Sullivan and G. Gordon (Oxford, OH, USA) 103

Chemical Sensors
Fabrication and features of a Methylene Green-mediating sensor for hydrogen peroxide based on regenerated silk fibroin as immobilization matrix for peroxidase
H. Liu, Y. Liu, J. Qian, T. Yu and J. Deng (Shanghai, Peoples Republic of China) 111
Chemiluminescence flow sensor for the determination of ascorbic acid with immobilized reagents
Z. Zhang and W. Qin (Xian, China) 119
A polypyrrole-based amperometric ammonia sensor
I. Lähdesmäki, A. Lewenstam and A. Ivaska (Turku-Åbo, Finland) 125
Development of long-term stable reference electrode with fluoric resin liquid junction
S. Ito (Tokyo, Nagoya, Japan), F. Kobayashi, K. Baba, Y. Asano (Tokyo, Japan) and H. Wada (Nagoya, Japan) 135
Aliphatic polyurethane as a matrix for pH sensors: effects of native sites and added proton carrier on electrical and potentiometric properties
V.V. Cosofret, M. Erdosy, J.S. Raleigh, T.A. Johnson (Chapel Hill, NC, USA), M.R. Neuman (Cleveland, OH, USA) and R.P. Buck (Chapel Hill, NC, USA) 143
Accumulation and voltammetric determination of complexed metal ions at zeolite-modified sensor electrodes
C. Bing and L. Kryger (Bukit Timah Road, Singapore) 153

Book reviews 161

Announcements 167

February

Determination of trace nitrite ion in water by spectrophotometric method after preconcentration on an organic solvent–soluble membrane filter
X. Gu, T. Zhou and D. Qi (Beijing, China) 169
Equilibrium studies of the diorganotin(IV) complexes with some amino acids and related compounds
M.M. Shoukry (Giza, Egypt). 177
First-derivative solid-phase spectrophotometric determination of molybdenum at the ng ml^{-1} level
A. Molína-Diaz, M.I. Pascual-Reguera, E. Liñán-Veganzones, M.L. Fernández de Córdova (Jaén, Spain) and L.F. Capitán-Vallvey (Granada, Spain) 185
Flow-injection fluorimetric determination of nabam and metham
T. Pérez-Ruiz, C. Martínez-Lozano, V. Tomás and R. Casajús (Murcia, Spain) 193
Quantitation of the global secondary structure of globular proteins by FTIR spectroscopy: comparison with X-ray crystallographic structure
T.F. Kumosinski and J.J. Unruh (Phildelphia, PA, USA) 199
Quantitative determination of silicon in silica dust by FT-Raman spectroscopy
D.N. Phillips, T.M. Suckling and W. van Bronswijk (Perth, Australia) 221
Determination of ATP using chelation-enhanced fluorescence
G.P. Foy and G.E. Pacey (Oxford, OH, USA) 225
Homogeneous liquid–liquid extraction method for spectrofluorimetric determination of chlorophyll a
T. Sudo and S. Igarashi (Ibaraki, Japan). 233
Flow-injection analysis–spectrophotometric determination of nitrite and nitrate in water samples by reaction with proflavin
R. Segarra Guerrero, C. Goméz Benito and J. Martínez Calatayud (Valéncia, Spain) 239
Ammonium tetraphenylborate–naphthalene adsorbent for the preconcentration and trace determination of iron in alloys and biological samples using 2-(5-bromo-2-pyridylazo)-5-diethylaminophenol by third derivative spectrophotometry
M. Ali Taher and B. Krishan Puri (New Delhi, India). 247

Catalytic-adsorptive stripping voltammetry of cobalt in the presence of 2,2′-bipyridine and nitrite
Z. Gao and K. Siong Siow (Singapore, Singapore) 255
Extraction of azo dyes by polyurethane foam
R. Werbowesky and A. Chow (Manitoba, Canada). 263
Application of the first derivative spectra method for investigation of the complexation of some aza-15-crown-5-containing chromoionophores with Sr^{2+}
N. Mateeva, L. Antonov, M. Mitewa and S. Miteva (Sofia, Bulgaria) 275

Chemical Sensors
Enzyme sensors for determination of fish freshness
G. Volpe and M. Mascini (Firenze, Italy) 283

Book reviews 291

March

The following papers were presented at the Symposium on Analytical Sciences, held in Paris, France, March 1995

Photochemical-fluorimetric method for the determination of total chlorophenoxyacid herbicides
S.A. Eremin, B. Laassis and J.-J. Aaron (Paris, France) 295
Electrochemical and spectrophotometric study of the behavior of electropolymerized nickel porphyrin films in the determination of nitric oxide in solution
S. Trevin, F. Bedioui and J. Devynck (Paris, France) 303
Preconcentration and analysis of gold from cyanide solutions with the use of a microcolumn packed with the phosphine oxide Cyanex 921
A.G. Coedo, M.T. Dorado, F.J. Alguacil and I. Padilla (Madrid, Spain) 313
Biodegradation of the (aliphatic + aromatic) fraction of Oural crude oil. Biomarker identification using GC/MS SIM and GC/MS/MS
F. Jacquot, P. Doumenq, M. Guiliano, D. Munoz (Marseille, France), J.R. Guichard (Manosque, France) and G. Mille (Marseille, France). 319
Amperometric detection of pyridine nucleotides via immobilized viologen-accepting pyridine nucleotide oxidoreductase or immobilized diaphorase
S. Cosnier and K. Le Lous (Grenoble, France) 331
Atmospheric pressure chemical ionization (APcI) liquid chromatography–mass spectrometry: characterization of natural antioxidants
M.-N. Maillard, P. Giampaoli and M.-E. Cuvelier (Massy, France) 339
Trace identification of plant substances by combining gas chromatography–mass spectrometry and direct deposition gas chromatography–Fourier transform infrared spectrometry
S. Ferary, J. Auger (Tours, France) and A. Touché (Notre Damme d'Oé, France) 349
A new spectrofluorimetric microdetermination of nitrite in water after derivatization with 4-methyl-7-aminocoumarin
S. Diallo, P. Bastard, P. Prognon, C. Dauphin and M. Hamon (Châtenay-Malabry, France) 359
Analysis of extractable organic compounds in water by gas chromatography mass spectrometry: applications to surface water
J.M. Deroux, C. Gonzalez, P. Le Cloirec (Alés, France) and G. Kovacsik (Nîmes, France) 365

Regular papers
Acid–base characterization of molecular weight fractionated humic acid
M. Fukushima, S. Tanaka, H. Nakamura and S. Ito (Sapporo, Japan) 383
A kinetic–dual standard additions method for simultaneous determination of interfering binary mixtures compensated by a synergistic coefficient. Simultaneous determination of molybdate and tungstate
J. Wang and R. He (Yantai, People's Republic of China) 391

Polarographic determination of mitoxantrone in pharmaceutical preparations and biological media
S.M. Golabi, V. Hassan-Zadeh (Tabriz, Iran) 397
Synthesis of poly(*N*-aminoethyl)acrylamide chelating fiber and properties of concentration and separation of noble metal ions from samples
X. Chang, Y. Li, G. Zhan, X. Luo and W. Gao (Lanzhou, People's Republic of China) 407
Classification of tea samples by their chemical composition using discriminant analysis
P. Valera, F. Pablos and A. Gustavo González (Seville, Spain) 415
Simultaneous spectrofluorimetric determination of europium, dysprosium, gadolinium and terbium using chemometric methods
R.D. Bautista, A.I. Jiménez, F. Jiménez and J.J. Arias (Tenerife, Spain) 421
Direct determination of nalidixic acid in urine by matrix isopotential synchronous fluorescence spectrometry
J.A.M. Pulgarín, A.A. Molina and P.F. López (Ciudad Real, Spain) 431
Determination of total fluorine in five coal reference materials by proton-induced gamma-ray emission spectrometry
I. Roelandts, G. Robaye, J.M. Delbrouck-Habaru and G. Weber (Sart Tilman, Belgium) 439
Synthesis and analytical properties of a chelating resin functionalised with bis-(*N*,*N'*-salicylidene)1,3-propanediamine ligands
K. Dev and G.N. Rao (New Delhi, India) 451
Development of a monitoring system for vinyl chloride gas in air by using an HCl monitoring tape and pyrolyzer
N. Nakano, A. Yamamoto and K. Nagashima (Tokyo, Japan) 459
Influence of ionic strength and OH^- ion concentration on the Cu(II) complex formation with EDTA in alkaline solutions
E. Norkus, A. Vaškelis and I. Žakaitė (Vilnius, Lithuania) 465
Determination of ruthenium and osmium in each other's presence in chloride solutions by direct and third-order derivative spectrophotometry
M. Balcerzak and E. Święcicka (Warsaw, Poland) 471
Behaviour of the dithiocarbamate complexes of arsenic, antimony, bismuth, mercury, lead, tin and selenium in methanol with a hybride generator
L. Vuchkova and S. Arpadjan (Sofia, Bulgaria) 479
Comparison of two extraction methods for determination of PCBs and PCTs in mussels from Galicia
M.E.A. Piñeiro, J.S. Lozano, M.A.L. Yusty and S.T.C. González-Barros (Santiago, Spain) 487
Determination of trace heavy metals in biological samples by inductively-coupled plasma atomic emission spectrometry after extraction with 1,5-bis(di-2-pyridylmethylene)thiocarbonohydrazide
E.V. Alonso, A.G. de Torres and J.M.C. Pavon (Málaga, Spain)

IUPAC Synopsis 503
Announcement 505

April

Reviews
Electrochemical analysis of surfactants: An overview
M. Gerlache, J.M. Kauffmann, G. Quarin, J.C. Vire (Bruxelles, Belgium), G.A. Bryant and J.M. Talbot (Herstal, Belgium) 507
Combination of classical dry ashing with stripping voltammetry in trace element analysis of biological materials: review of literature published after 1978
P. Mader, J. Száková and E. Čurdová (Prague, Czech Republic) 521

Flow-injection on-line column preconcentration for low powered microwave plasma torch atomic emission spectrometry
D. Ye, H. Zhang and Q. Jin (Changchun, China) 535

Studies on the extraction of Copper(II) with 4-alkyldithiocarboxylate derivatives of 1-phenyl-3,5-dioxopyrazolidine
A. Molinari, R. Ariz and A. Oliva (Valparaiso, Chile) 545
Rapid, selective, direct and derivative spectrophotometric determination of titanium with 2,4-dihydroxybenzaldehyde isonicotinoyl hydrazone
O. Babaiah, C.K. Rao, T.S. Reddy and V.K. Reddy (Anantapur, India) 551
Sequential injection technique employed for stoichiometric studies, optimization and quantitative determination of some fluoroquinolone antibiotics complexed with iron(III) in sulfuric acid media
F.E.O. Suliman and S.M. Sultan (Dhahran, Saudi Arabia) 559
High performance liquid chromatographic method for the separation and quantification of some psychotherapeutic benzodiazepines optimized by the modified simplex procedure
S.M. Sultan and A.H. El-Mubarak (Dhahran, Saudi Arabia) 569
Spectrophotometric determination of Isoproturon and Metoxuron using ethylacetoacetate and application to technical and formulation grade samples
K.R. Raju, S.R.K.M. Akella, J.V.S. Murthy and U.T. Bhalerao (Hyderabad, India) 577
Simultaneous first-derivative spectrophotometric determination or iron(III) and molybdenum(VI) in cobalt–chromium and nickel–chromium alloys
A.Y. El-Sayed (Assiut, Egypt) and M.M.H. Khalil (Cairo, Egypt) 583
Simultaneous determination of neodymium, erbium and holmium in rare earth mixtures with 2-phenyltrifluoroacetone and octylphenol poly(ethyleneglycol) ether by third-derivative spectrophotometry
N.-X. Wang, Z.-K. Si, J.-H. Yang, A.-Q. Du and Z.-D. Li (Jinan, People's Republic of China). 589
Determination of serum selenium by hydride generation flame atomic absorption spectrometry
D.-Q. Hao, G.-H. Xie, Y.-M. Zhang and G.-J. Tian (Henan, People's Republic of China). 595
Anion-exchange preparation of a ^{232}U radiotracer for α-particle liquid scintillation counting
C.G. Ong and J.O. Leckie (Stanford, CA, USA) 601
Estimation of the ionization pK_a of pharmaceutical substances using the computer program SPARC
S.H. Hilal (Athens, GA, USA), Y. El-Shabrawy (Mansoura, Egypt), L.A. Carreira, S.W. Karickhoff (Athens, GA, USA), S.S. Toubar and M. Rizk (Mansoura, Egypt) 607
Formation of dinuclear copper(II) complex with *N,N,N',N'*-tetrakis(2-pyridylmethyl)-1,2-ethanediamine in aqueous solution
N. Hirayama, S. Iimuro (Kanazawa, Japan), K. Kubono (Atsugi, Japan), H. Kokusen (Koganei, Japan) and T. Honjo (Kanazawa, Japan). 621
Pulsed photothermal phase-shift spectroscopy for weak absorption measurement
B. Li, Y. Deng and J. Cheng (Hubei, People's Republic of China). 627
Electroanalytical characteristics of enoxacin and their analytical application
Z.-Q. Zhang, Y.-F. Li, X.-M. He and H. Zhang (Changsha, People's Republic of China) 635
Acid–base equilibria in γ-butyrolactone studied by use of pH-ISFETs
K. Izutsu and M. Ohmaki (Matsumoto, Japan) 643
Dialkylphosphoric acids as carriers in separation of lanthanides and thorium on supported liquid membranes
A. Hrdlička, I. Fialová and J. Doležalová (Brno, Czech Republic) 649
Determination of Benzo[*a*]pyrene in smoking-flavour agents (water-soluble liquid smoke) by second derivative constant-wavelength synchronous spectrofluorimetry
S.G. Falcón, S.G. Amigo, M.A.L. Yusty, M.J.L. de Alda Villaizán and J.S. Lozano (La Coruña, Spain) . 659

Chemical Sensors
Kinetic analysis of arginase–urease coupled reaction with a surface acoustic wave enzyme sensor system
D. Liu, L. Nie and S. Yao (Changsha, People's Republic of China) 667
A thin liquid film thickness shear mode bulk acoustic wave sensor for determination of *Proteus mirabilis*
L. Bao, L. Deng, L. Nie, S. Yao and W. Wei (Changsha, People's Republic of China). 675
Novel use of a fiber-optic-based on-line trichloroethylene sensor in a column retardation experiment
F. Hoffman (Livermore, CA, USA; Rehovot, Israel), D. Ronen, H. Rosin (Rehovot, Israel) and F. Milanovich (Livermore, CA, USA) 681
Investigation of the detection limit of a series piezoelectric sensor
Q. Kang, Z. Liu, J. Hu and D. Shen (Jinan, People's Republic of China) 691

Announcements 695

May

A nonlinear regression model applied to kinetic studies of ester hydrolysis with a surface acoustic wave sensor
Q. Cai, R. Wang, L. Wu, L. Nie, S. Yao (Changsha, People's Republic of China) 699
Formation and stability of pyrophosphate complexes with aliphatic amines in aqueous solution
C. De Stefano, C. Foti, O. Giuffrè, S. Sammartano (Messina, Italy) 707
Catalytic–adsorptive stripping voltammetric determination of molybdenum in plant foodstuffs
Z. Gao, K. Siong Siow (Singapore, Singapore) 719
Determination of trace amounts of iron by catalytic–adsorptive stripping voltammetry
Z. Gao, K.S. Siow (Singapore, Singapore) 727
Simultaneous determination of lithium, sodium and potassium in blood serum by flame photometric flow-injection analysis
G.N. Doku, V.P.Y. Gadzekpo (Cape Coast, Ghana) 735
Colour reaction of free chlorine with *p*-amino–*N*,*N*-diethylaniline in the presence of alcohol and its analytical application
M. Zhang, Q. Zhang, Z. Fang (Changsha, People's Republic of China) 741
Synthesis of 5-(5-nitro-2-pyridylazo)-2,4-diaminotoluene and its application to spectrophotometric determination of microamounts of palladium
H. Yang, G. Zhang, L. Zhang, G. Liu, X. Zhang (Xi'an, People's Republic of China) 747
Ion-selective electrode for salicylate assay in blood serum
T. Katsu, Y. Mori (Okayama, Japan) 755
Separation and preconcentration of ultratrace lead in biological organisms and its determination by graphite furnace atomic absorption spectrometry
Y. Tang, B. Chen, S. Mo (Guangzhou, People's Republic of China) 761
Simultaneous high performance liquid chromatographic determination of vanadium, nickel, iron and copper in crude petroleum oils using bis(acetylpivalylmethane)ethylenediimine as a complexing reagent
M.Y. Khuhawar, S.N. Lanjwani (Sindh, Pakistan) 767
Thermometric titrations of amines with nitrosyl perchlorate in acetonitrile solvent
T. Gündüz, E. Kiliç, O. Çakirer (Ankara, Turkey) 771

Chemical Sensors
Alcohol biosensor based on alcohol dehydrogenase and Meldola Blue immobilized into a carbon paste electrode
S. García Mullor, M. Sánchez-Cabezudo (Madrid, Spain), A.J. Miranda Ordieres (Asturias, Spain), B. López Ruiz (Madrid, Spain) 779
Poly(*o*-aminophenol)-modified bienzyme carbon paste electrode for the detection of uric acid
E. Miland, A.J. Miranda Ordieres, P. Tuñón Blanco (Asturias, Spain), M.R. Smyth, C. Ó Fágáin (Dublin, Ireland) 785
Hydrogen chromate PVC matrix membrane sensor for potentiometric determination of chromium(III) and chromium(VI) ions
S.S.M. Hassan, M.N. Abbas, G.A.E. Moustafa (Cairo, Egypt) 797

Book reviews 805

Announcements 809

June

Special Issue: Papers presented at the Seventh International Conference on Flow Injection Analysis (ICFIA '95), held in Seattle, Washington, USA, August 13–17, 1995

Editorial v

Selectivity enhancements for the determination of thorium by flow-injection analysis through the formation of the Th–DTPA–HQS fluorescent ternary complex
L. Ye, C.A. Lucy (Calgary, Alta., Canada) 811
Photometric determination of anionic surfactants with a flow-injection analyzer that includes a chromatomembrane cell for sample preconcentration by liquid–liquid solvent extraction
L.N. Moskvin (St. Petersburg, Russia), J. Simon, P. Löffler (Berlin, Germany), N.V. Michailova, D.N. Nicolaevna (St. Petersburg, Russia) 819
Chemical speciation by flow-injection analysis. A review
L. Campanella (Rome, Italy), K. Pyrzyńska, M. Trojanowicz (Warsaw, Poland) 825
Head-space flow injection for the on-line determination of iodide in urine samples with chemiluminescence detection
J.L. Burguera, M.R. Brunetto, Y. Contreras, M. Burguera, M. Gallignani, P. Carrero (Mérida, Venezuela) 839
Monitoring CP-93,393 reaction mixtures by flow-injection analysis–mass spectrometry
S.T. Colgan, T.R. Sharp, P.D. Hammen, R.H. Reed, G.J. Horan, P.W. Gwiazda (Groton, CT, USA) . . . 851
Fluorimetric flow-injection analysis of total amounts of aldehydes in auto exhaust gas and thermal degradation emission gas with cyclohexane-1,3-dione
T. Sakai, H. Nagasawa (Toyota, Japan), H. Nishikawa (Gifu, Japan) 859
Determination of ultra-trace amounts of arsenic(III) by flow-injection hydride generation atomic absorption spectrometry with on-line preconcentration by coprecipitation with lanthanum hydroxide or hafnium hydroxide
S. Nielsen, J.J. Sloth, E.H. Hansen (Lyngby, Denmark) 867
Non-linearity with metal–metal indicator complex reactions in flow-injection analysis
J.F. van Staden, D. Malan (Pretoria, South Africa) 881
Enhanced surfactant determination by ion-pair formation using flow-injection analysis and dynamic surface tension detection
T.E. Young, R.E. Synovec (Seattle, WA, USA) 889
Gas chromatographic sensing on an optical fiber by mode-filtered light detection
C.A. Bruckner, R.E. Synovec (Seattle, WA, USA) 901
Electroinjection analysis. The introduction of a new variant of flow-injection analysis and comparison with electrophoretically-mediated microanalysis
V.P. Andreev, A.G. Kamenev, N.S. Popov (St. Petersburg, Russia) 909
Field-portable flow-injection analysers for monitoring of air and water pollution
P.W. Alexander, L.T. Di Benedetto, T. Dimitrakopoulos (Tas, Australia), D.B. Hibbert, J.C Ngila, M. Sequeira, D. Shiels (Sydney, Australia) 915
Potentiometric and voltammetric detection using a two-channel fountain cell
M. Wasberg, K. Stenlund, A. Ivaska (Åbo, Finland) 927
Flow-injection analysis systems with immobilized enzymes. Improvement of applicability by integration of coupled reactions, separation steps and background correction
H.-L. Schmidt, T. Becker, I. Ogbomo, W. Schuhmann (Freising-Weihenstephan, Germany) 937
Potentiometric flow-injection determination of trace hydrogen peroxide based on its induced reaction in iron(III)–iron(II) potential buffer containing bromide and molybdenum(VI)
H. Ohura, T. Imato, S. Yamasaki, (Fukuoka, Japan) N. Ishibashi (deceased) 943
Determination of primary aromatic amine in quality control of X-ray contrast media by flow-injection analysis
G. Johansen, K. Grini, K. Langseth-Manrique, K.H. Karstensen (Oslo, Norway) 951

Flow-injection determination of trace hydrogen peroxide or glucose utilizing an amperometric biosensor based on glucose oxidase bound to a reticulated vitreous carbon electrode
M. Khayyami, G. Johansson, D. Kriz, B. Xie, P.-O. Larsson, B. Danielsson (Lund, Sweeden) 957
Flow-injection systems for determination of trace manganese in various salts by catalytic photometric detection
T. Yamane, K. Koshino (Kofu, Japan) 963
Flow injection spectrophotometric determination of ascorbic acid in pharmaceutical products with the Prussian Blue reaction
J.A. Nóbrega, G.S. Lopes (São Carlos, Brazil) 971
Lead preconcentration onto C-18 minicolumn in continuous flow and its determination in biological and vegetable samples by flame atomic absorption spectrometry
R. Lima, K.C. Leandro, R.E. Santelli (Rio de Janeiro, Brazil) 977

July

Direct determination of selenium in a wild fruit juice by electrothermal atomic absorption spectrometry
Y. Liu, B. Gong, Z. Li, Y. Xu, T. Lin (Dalian, Peoples Republic of China) 985
Acid–base equilibria in aqueous solution of *cis*-bis(trimethylphosphine)platinum(II) dinitrate at 25°C, 0.2 M ionic strength. A potentiometric study
C. Maccà, B. Longato, G. Trovò, G. Giorgio Bombi (Padova, Italy) 991
Determination of the plant growth regulator β-naphthoxyacetic acid by micellar-stabilized room temperature phosphorescence
A. Segura-Carretero, C. Cruces-Blanco, A. Fernández-Gutiérrez (Granada, Spain) 1001
Simultaneous spectrophotometric determination of nitrite and nitrate by flow-injection analysis
M.J. Ahmed, C.D. Stalikas, S.M. Tzouwara-Karayanni, M.I. Karayannis (Ioannina, Greece) 1009
Derivative spectrophotometric resolution of mixtures of the food colourants Tartrazine, Amaranth and Curcumin in a micellar medium
C. Cruces Blanco, A.M. García Campaña, F. Alés Barrero (Granada, Spain) 1019
Automatic extraction–spectrophotometric method for the determination of ambroxol in pharmaceutical preparations
T. Pérez-Ruiz, C. Martínez-Lozano, A. Sanz, M. Teresa San Miguel (Murcia, Spain) 1029
Determination of water samples and ene-diols or thiols in samples inaccessible for direct K.Fischer titration
F. Sherman, I. Kuselman, A. Shenhar (Jerusalem, Israel) 1035
Study of the complex formation between 18C6 crown ether and Tl^{+}, Pb^{2+} and Cd^{2+} in binary non-aqueous solvents using differential pulse polarography
C. Rounaghi (Mashhad, Iran), Z. Eshagi, E. Ghiamati (Birjand, Iran) 1043
Flow injection gas-diffusion amperometric determination of trace amounts of ammonium ions with a cupric hexacyanoferrate
R. Liu (Shandong, PR China), B. Sun (ACT, Australia), D. Liu, A. Sun (Shandong, PR China) 1049
Application of internal standard for derivative-spectrophotometric determination of azinphos-methyl in commercial formulations
K. Wróbel-Zasada, K. Wróbel-Kaczmarczyk, P.L. López-de-Alba, L. López-Martínez, M.A. García-López (Guanajuato, Mexico) 1055
Microwave digestion of biological samples with tetramethylammonium hydroxide and ethylenediaminetetraacetic acid for element determination
C.Y. Zhou, M.K. Wong, L.L. Koh, Y.C. Wee (Singapore, Singapore) 1061
Determination of antimony in impure zinc sulphate solution by coprecipitation followed by differential pulse anodic stripping voltammetry
R. Dhana Sekharan, R. Raghavan, L.K. Agarwal (Udaipur, India) 1069

Spectrophotometric determination of isoniazid with sodium 1,2-naphthoquinone-4-sulphonate and cetyltrimethyl ammonium bromide
P. Nagaraja, K.C. Srinivasa Murthy, H.S. Yathirajan (Mysore, India) 1075
Polarographic study of the coordinated system Zn(II)–glycine–glycinate ion
M. Cuesta Sánchez, M. de la Cuesta González, J.C. Ruiz Morales, J.C. Rodríguez Placeres (Canary Islands, Spain) 1081
Stable isotope dilution—mass spectrometry for determining total selenium levels in plants, soils and sewage sludges
F. MacLeod, B.A. McGaw, C.A. Shand (Aberdeen, UK) 1091
Use of aqueous slurry sampling for the determination of lead in human hair samples by electrothermal atomic absorption spectrometry
P. Bermejo-Barrera, A. Moreda-Piñeiro, T. Romero-Barbeito, J. Moreda-Piñeiro, A. Bermejo-Barrera (Santiago de Compostela, Spain) 1099
Precise coulimetric titration of precious metals III. Determination of gold (III) with electrogenerated chlorocuprous ion in KCl–Cu–EDTA buffer medium
S. Dong, X. Yang (Yunnan, Peoples Republic of China) 1109
Polarographic study of acrolein and its determination by flow injection with amperometric detection at a mercury electrode
I. Naranjo Rodríguez, J.A. Muñoz Leyva, J.L. Hidalgo Hidalgo de Cisneros (Cádiz, Spain) 1117
Permselective-membrane pyrolytic graphite electrode for the study of microvolumes of [2Fe-2S] ferredoxin
J. Haladjian, I. Thierry-Chef, P. Banco (Marseille, France) 1125
Coprecipitation with disulfide for the determination of traces of cobalt in water by electrothermal atomic absorption spectrometry
M. Hiraide, Z.-S. Chen, H. Kawaguchi (Nagoya, Japan) 1131
Evaluation of a glassy carbon electrode modified by a bilayer lipid membrane with incorporated DNA
C.G. Siontorou (Athens, Greece), A.-M. Oliveira Brett (Coimbra Codex, Portugal) D.P. Nikolelis (Athens, Greece) 1137
Calcium-selective electrode based on a calix[4]arene tetraphosphine oxide
T. McKittrick, D. Diamond (Dublin, Ireland), D.J. Marrs, P. O'Hagan, M.A. McKervey (Belfast, UK) . . 1145

Short communication
Laser-induced breakdown spectroscopy of silicate, vanadate and sulfide rocks
J.M. Vadillo, J.J. Laserna (Málaga, Spain) 1149

Chemical Sensors
Selectivity enhancement for glutamate with a Nafion/glutamate oxidase biosensor
S. Pan, M.A. Arnold (Iowa City, IA, USA) 1157
Adaptation of microthermal probes for the determination of biochemical species
V. Lysenko (Ecully, France; Kiev, Ukraine), G. Delhomme (Lyon, France), A. Soldatkin (Ecully, France; Kiev, Ukraine), V. Strikha (Kiev, Ukraine), A. Dittmar (Lyon, France), N. Jaffrezic-Renault, C. Martelet (Ecully, France) 1163
Moclobemide-selective membrane electrode and its pharmaceutical applications
R.-I. Stefan, G.-E. Baiulescu (Bucharest, Romania), H.Y. Aboul-Enein (Riyadh, Saudi Arabia) 1171
Amperometric determination of lactate deydrogenase based on a carbon fiber microcylinder electrode modified covalently with Toluidine Blue O by acylation
H.X. Ju, L. Dong, H.Y. Chen (Nanjing, Peoples Republic of China) 1177

Announcement 1185

August

Reviews
Basic aspects and applications of tristimulus colorimetry
K.M.M. Krishna Prasad, S. Raheem, P. Vijayalekshmi, C. Kamala Sastri (Andhra Pradesh, India) 1187
Microwave-assisted sample preparation in analytical chemistry
F.E. Smith, E.A. Arsenault (Ontario, Canada) 1207

A new method for the determination of residual piperazine in pharmaceuticals by capillary gas chromatography
K.N. Ramachandran, G.S. Kumar (Bangalore, India) 1269
Amperometric flow-injection method for the assay of L-ascorbic acid based on the photochemical reduction of Methylene Blue
L.E. León (Caracas, Venezuela) 1275
Use of 4-chloro-7nitrobenzofurazane as a derivative reagent for the determination of amino acids by cathodic stripping square wave voltammetry in biological fluids
O. Nieto, P. Hernández, L. Hernández (Madrid, Spain) 1281
Spectrophotometric determinations of some phenothiazine drugs
H.D. Revanasiddappa, P.G. Ramappa (Mysore, India). 1291
A conductance sensor for dissolved sulphur dioxide using a series piezoelectric crystal device
Y. Xu, C. Lu, K. Chen, L. Nie, S. Yao (Changsha, People's Republic of China) 1297
Extraction of ternary complexes of thorium(IV) with 3-phenyl-4-benzoyl-5-isoxazolone and neutral donors from nitric acid medium
P. Thakur, R. Veeraraghavan, P.K. Mohapatra, V.K. Manchanda, K.C. Dash (Bombay, India). 1305
The determination of lead, nickel and vanadium in Saudi Arabian crude oil by sequential injection analysis/inductively-coupled plasma mass spectrometry
H.M. Al-Swaidan (Riyadh, Saudi Arabia) 1313
Determination of copper by electrothermal AAS after electrodeposition on a graphite disk electrode
J. Komárek, P. Stavinoha (Brno, Czech Republic), S. Gomišček (Ljubljana, Slovenia), L. Sommer (Brno, Czech Republic) 1321
Variable-angle synchronous fluorescence spectrometry and rank annihilation methods for mixture resolution
F. García Sánchez, M. Cedazo, J. Lovillo, A. Navas Díaz (Málaga, Spain). 1327
Spectrofluorimetric determination of iron(III) with 2-pyridinecarbaldhyde-5-nitro-pyridylhydrazone in the presence of hexadecyltrimethylammonium bromide surfactant
K.-W. Cha, C.-I. Park (Incheon, South Korea) 1335
HPLC-Electrochemical detection with graphite-poly(tetrafluoroethylene) electrode. Determination of the fungicides thiram and disulfiram
C. Fernández, A.J. Reviejo, L.M. Polo, J.M. Pingarrón (Madrid, Spain) 1341
Synchronous fluorimetric determination of salicylic acid and diflunisal in human serum using partial least-squares calibration
A. Muñoz de la Peña, M.D. Moreno, I. Durán-Merás, F. Salinas (Badajoz, Spain) 1349
Characterization of the ionization and spectral properties of mercapto-carboxylic acids. Correlation with substituents and structural features
M. Carla Aragoni, M. Arca, G. Crisponi, F. Cristiani, F. Isaia, V.M. Nurchi (Cagliari, Italy). 1357

Short communication
Anion-exchange enrichment of thallium and cadmium prior to their flame atomic absorption spectrometric determination in soils
E. Ivanova, S. Tsakovski, G. Gentscheva, I. Havezov (Sofia, Bulgaria) 1367

Chemical Sensors
Urea solid-state biosensor suitable for continuous dialysis control
S. Zamponi, B. Lo Cicero, M. Mascini (Firenze, Italy), L. Della Ciana, S. Sacco (Saluggia, Italy) 1373

Measurement/data-processing method to improve the ruggedness of membrane-based sensors: Application to amperometric oxygen sensor
S. Williams, H.L. Pardue, C.E. Uhegbu, A.M. Smith, J. Studley (West Lafayette, IN, USA). 1379
Electrocatalytic modified electrode for remote monitoring of hydrazines
J. Wang, Q. Chen, G. Cepria (Las Cruces, NM, USA) 1387
Phase inversion cellulose acetate membranes for suppression of protein interferences in anodic stripping voltammetry 2. Improvement of the membrane preparation procedure
B. Hoyer, N. Jensen (Aarhus, Denmark) 1393

Announcements 1401

September

Second-derivative constant-wavelength synchronous scan spectrofluorimetry for determination of benzo[*b*]fluoranthene, benzo[*a*]pyrene and indeno[1,2,3-*cd*]pyrene in drinking water
M.J. López de Alda Villaizán, M.S. García Falcón, S. González Amigo, J. Simal Lozano and M.A. Lage Yusty (La Coruña, Spain) 1405
Long-wavelength stopped-flow fluorimetric determination of lysozyme
B. Gala, A. Gómez-Hens and D. Pérez-Bendito (Córdoba, Spain) 1413
Development of pH measurement system for legal traceability of pH standard solutions
S. Ito, H. Hachiya, K. Baba, M. Eto, Y. Asano (Tokyo, Japan) and H. Wada (Nagoya, Japan) 1421
Room-temperature phosphorimetry studies of some addictive drugs following dansyl chloride labelling
A.-J. Tong, Y.-G. Wu and L.-D. Li (Beijing, China) 1429
An indirect method for the spectrofluorimetric determination of trace amounts of germanium after extraction as an ion association complex with rhodamine B in the presence of chromotropic acid
S. Nalini and T.V. Ramakrishna (Madras, India) 1437
Monitoring of molecular transformations in acid-base reactions by evolving factor analysis of Fourier transform infrared spectral data
J.C.G. Esteves da Silva, A.A.S.C. Machado and C.J.S. Oliveira (Porto, Portugal) 1443
Simultaneous determination of quinoline yellow and brilliant blue FCF in cosmetics by solid-phase spectrophotometry
L.F. Capitán-Vallvey, N. Navas Iglesias, I. de Orbe Payá and R. Avidad Castañeda (Granada, Spain). . . 1457
Separation studies of molybdenum(VI) and rhenium(VII) using TPPO as an extractant
S.V. Vartak and V.M. Shinde (Bombay, India) 1465
High sensitivity flow-based analysis system using a semiconductor laser and thin long flow-through cell for the determination of total phosphorus in water
T. Korenaga and F. Sun (Toyama, Japan) 1471
Effect of alkyl substituents in hydrophobic 8-Quinolinol on the extraction of gallium(III) and applications to the separation of gallium(III) from aluminum(III)
K. Ohashi, R. Iwata, S. Mochizuki, H. Imura (Mito, Japan), K. Hiratani and H. Sugihara (Tsukuba, Japan) 1481
Application of partial least-squares regression to the resolution of highly correlated spectra. Simultaneous spectrofluorimetric determination of Al^{3+}, Ga^{3+} and In^{3+}
M. Blanco, J. Coello, F. González, H. Iturriaga, S. Maspoch and A.R. Puigdomènech (Barcelona, Spain). 1489
Calcium carbonate solubility: a reappraisal of scale formation and inhibition
J.-Y. Gal (Montpellier, France), J.-C. Bollinger (Limoges, France), H. Tolosa (Fontenay-aux-Roses, France) and N. Gache (Montpellier, France) 1497
Medium effect on acidity constants of some heterocyclic nitrogen azomethines
M.A. El-Taher and A.A. Gabr (Aswan, Egypt) 1511

Flow-injection photometric determination of sub-nanogram amounts of cobalt by its catalysis of the oxidative coupling of 3-methyl-2-benzothiazolinone hydrazone with *N*,*N*-dimethylaniline in a micellar medium
Z.-Y. Yu, N. Teshima (Tsukuba, Japan), S. Nakano (Tottori, Japan) and T. Kawashima (Tsukuba, Japan) 1519
A comparative study of the degradation of different starches using thermal analysis
P. Aggarwal and D. Dollimore (Toledo, OH, USA) 1527
Continuous flow system for the evaluation of the extrinsic coagulation pathway
J.M. Fernández-Romero, M.D. Luque de Castro (Córdoba, Spain) 1531
Analysis of lead and tin in strong brine and high iron systems using the microsampling technique
T.S. Wai, H. Darus and N. Mohamed (Penang, Malaysia) 1539
The separation and isolation of gold by selective extraction and transport through a polyurethane ether-type membrane
R.D. Oleschuk and A. Chow (Manitoba, Canada) 1545
Determination of fat-soluble vitamins in yogurt by HPLC with electrochemical detection
M.M. Delgado Zamarreño, A. Sanchez Perez, M. Sanchez Rodriguez, M.C. Gomez Perez and J. Hernandez Mendez (Salamanca, Spain) 1555
Sulphate determination after its reduction to hydrogen sulphide and volatile separation by molecular absorption spectrometry
A. Lopez Molinero, R. Batlle, A. Villareal and J.R. Castillo (Zaragoza, Spain) 1565
Preparation, characterization and metal sorption studies of a Chrome-Azurol-S-loaded anion-exchange resin
Z. Molodovan and L. Vlădescu (Bucharest, Romania) 1573
A series expansion of the extended Debye–Hückel equation and application to linear prediction of stability constants
J.J. Baeza Baeza and G. Ramis-Ramos (València, Spain) 1579

Short communication
Spectrophotometric determination of the theophylline in plasma by the apparent content curves method
M.J. Llobat-Estellés, R.M. Marín-Saez and M.D. San-Martín Ciges (Valencia, Spain) 1589

Chemical Sensors
Prussian-Blue-based amperometric biosensors in flow-injection analysis
A.A. Karyakin, E.E. Karyakina and L. Gorton (Lund, Sweden) 1597
Electroluminescent method for determining hydrogen peroxide and peroxydisulphate ions in aqueous solution using TiO_2 film electrodes
S.K. Poznyak and A.I. Kulak (Minsk, Belarus) 1607
Polyphenol oxidase–catechol: an electroenzymatic model system for characterizing the performance of matrices for biosensors
J.-L. Besombes, S. Cosnier and P. Labbé (Grenoble, France) 1615

Book reviews 1621

October

Spectrophotometric determination of bio-active compounds with chloramine-T and gallocyanine
C.S.P. Sastry, K. Rama Srinivas and K.M.M. Krishna Prasad (Visakhapatnam, India) 1625
The electrochemical reduction of fullerenes, C_{60} and C_{70}
G. Diao, L. Li and Z. Zhang (Nanjing, People's Republic of China) 1633
Conductometric titration of thiosulfate using new-type conductivity cells
E. Forizs and Cs. Muzsnay (Cluj-Napoca, Romania) 1639

Spectrophotometric determination of acrivastine in urine and capsules
H.H. Abdine, A.A. Gazy, S.M. Blaih and M.A. Korany (Alexandria, Egypt) 1643
Derivative spectrophotometric determination of nickel using Br-PADAP
S.L.C. Ferreira, A.C. Spinola Costa and D.S. de Jesus (Bahia, Brazil) 1649
Studies on the second reciprocal derivative constant-current stripping analysis
X. Ruan, Y. Su, Y. Zhou (Guangdong, People's Republic of China), H. Chang (Austin, TX, USA) and D. Feng (Guangzhou, People's Republic of China) 1657
Effect of variables influencing $S_{1/2}$ in sequential injection analysis. Extrapolability of $S_{1/2}$ based results between SIA designs
A. Cladera, E. Gómez, J.M. Estela and V. Cerdà (Palma de Mallorca, Spain) 1667
Selective determination of cobalt using polyurethane foam and 2-(2-benzothiazolylazo)-2-p-cresol as a spectrophotometric reagent
M.S. Carvalho, I.C.S. Fraga, K.C.M. Neto and E.Q. Silva Filho (Rio de Janeiro, Brazil) 1675
An electrostatic micro-collection interface for aerosol collection. Automated ion chromatographic analysis of aerosols
S. Liu and P.K. Dasgupta (Lubbock, TX, USA) 1681
Ionic medium effects on equilibrium constants. Part I. Proton, copper(II), cadmium(II), lead(II), and acetate activity coefficients in aqueous solution
L. Pezza (Araraquara, Brazil), M. Molina (São Luis, Brazil), M. de Moraes, C.B. Melios and J.O. Tognolli (Araraquara, Brazil) 1689
Ionic medium effects on equilibrium constants. Part II. Binary systems comprising some bivalent cations and monocarboxylates in aqueous solution
L. Pezza (Araraquara, Brazil), M. Molina (São Luis, Brazil), C.B. Melios, M. de Moraes and J.O. Tognollli (Araraquara, Brazil) 1697
Measurements of equilibrium water vapor pressures for the dehydration of magnesium, manganese and cobalt formate dihydrates by means of the transpiration method
Y. Masuda and M. Hatakeyama (Niigata, Japan) 1705
Modified spectrophotometric method for the determination of selenium in environmental and mineral mixtures using 2,3-diaminonaphthalene
K.N. Ramachandran and G.S. Kumar (Bangalore, India) 1711
Catalytic effect of some inorganic ligands on a ligand substitution of reaction involving mercury(II) and its application as a differential kinetic method of analysis
S. Yamada, F. Umika, M. Nakamura and S. Nakamura (Hamamatsu, Japan) 1715
Solvent extraction kinetics of rare earth elements
J. Gao, B. Peng, H. Fan and J. Kang (Lanzhou, People's Republic of China) 1721
Re-examination of the structure of calcichrome (calcion) and its complexation with polyaromatic hydrocarbons in water
B.-L. Poh and M. Khairuddean (Penang, Malaysia) 1727
Peroxidase-catalysed luminol chemiluminescence method for the determination of glutathione
T. Kamidate and H. Watanabe (Sapporo, Japan) 1733
Investigation of equilibria in solution. Determination of equilibrium constants with the HYPERQUAD suite of programs
P. Gans (Leeds, UK), A. Sabatini and A. Vacca (Firenze, Italy) 1739
Simultaneous flow injection determination of iron(III) and vanadium(V) and of iron(III) and chromium(VI) based on redox reactions
N. Teshima, K. Ayukawa and T. Kawashima (Tsukuba, Japan) 1755
Chemiluminometric method for the determination of glycerol in wine by flow-injection analysis with co-immobilized glycerol dehydrogenase/NADH oxidase
N. Kiba, N. Azuma and M. Furusawa (Kofu, Japan) 1761
Derivatized vancomycin stationary phases for LC chiral separations
A. Berthod (Villeurbanne, France), U.B. Nair, C. Bagwill and D.W. Armstrong (Rolla, MO, USA) 1767
Effectiveness of palladium as a chemical modifier for direct silver and manganese determination in cocaine and heroin by electrothermal atomic absorption spectrometry
P. Bermejo-Barrera, A. Moreda-Piñeiro, J. Moreda-Piñeiro and A. Bermejo-Barrera (Santiago de Compostela, Spain) 1783

Adsorption–desorption and leaching of phenylurea herbicides on soils
C.M. Fouqué-Brouard and J.M. Fournier (Beaucouzé, France) 1793

Chemical Sensors
Fiber optic sensor for laser-induced room-temperature phosphorescence detection of polycyclic aromatic compounds
A.D. Campiglia and T. Vo-Dinh (Oak Ridge, TN, USA) 1805
Flow injection analysis of L-lactic acid using an enzyme–polyion complex-coated electrode as the detector
F. Mizutani, S. Yabuki and Y. Hirata (Ibaraki, Japan) 1815
Chelating ion-exchange resin membrane sensor for nickel(II) ions
G.N. Rao, S. Srivastava (New Delhi, India), S.K. Srivastava and M. Singh (Roorkee, India) 1821

November

Determination of doxorubicin hydrochloride by visible spectrophotometry
C.S.P. Sastry and J.S.V.M. Lingeswara Rao (Visakhapatnam, India). 1827
Separation study of mercury through an emulsion liquid membrane
Q. Li, Q. Liu and X. Wei (Xinxiang, People's Republic of China) 1837
Rapid procedure for the determination of gold at sub-ppm levels in geological samples by atomic absorption spectrometry
A.K. Singh (Hyderabad, India) 1843
Spectrophotometric methods for the determination of prazosin hydrochloride in tablets
K. Sreedhar, C.S.P. Sastry, M. Narayana Reddy and D.G. Sankar (Visakhapatnam, India) 1847
Sorption recovery of metal ions using silica gel modified with salicylaldoxime
A.R. Sarkar, P.K. Datta and M. Sarkar (Kalyani, India) 1857
Study of coordination equilibria in systems fo coexisting mononuclear and polynuclear complexes by an isosbestic point-spectrophotometric method
J. Zhou, H.-Z. Yin, X.-J. Qu and Y.-H. Shun (Shandong, People's Republic of China). 1863
Development of a nitrate ion-selective electrode based on an Urushi matrix membrane and its application to the direct measurement of nitrate-nitrogen in upland soils
S. Ito (Tokyo, Japan; Nagoya, Japan), K. Baba, Y. Asano (Tokyo, Japan), H. Takesako (Kawasaki, Japan)
and H. Wada (Nagoya, Japan) 1869
Simple solvent extraction technique for elimination of matrix interferences in the determination of methylmercury in environmental and biological samples by ethylation–gas chromatography–cold vapor atomic fluorescence spectrometry
L. Liang (Monaco, Monaco; Rochester, NY, USA; Portland, OR, USA), M. Horvat (Monaco, Monaco),
E. Cernichiari, B. Gelein (Rochester, NY, USA) and S. Balogh (St. Paul, MN, USA) 1883
Demonstration of an integrated capillary electrophoresis–laser-induced fluorescence fiber-optic sensor
M.J. Sepaniak (Knoxville, TN, USA), T. Vo-Dinh (Oak Ridge, TN, USA), D.L. Stokes (Knoxville, TN, USA; Oak Ridge, TN, USA), V. Tropina and J.E. Dickens (Knoxville, TN, USA) 1889
Screen-printed tyrosinase-containing electrodes for biosensing of enzyme inhibitors
J. Wang, V.B. Nascimento, S.A. Kane (Las Cruces, NM, USA), K. Rogers (Las Vegas, NV, USA), M.R. Smyth (Dublin, Ireland) and L. Angnes (SP, Brazil). 1903
Ultraviolet spectrophotometric determination of copper in copper ores by flow-injection analysis
A.T. Haj-Hussein (Irbid, Jordan) 1909
Anodic stripping voltammetric determination of titanium(IV) using a carbon paste electrode modified with cetyltrimethylammonium bromide
M. Stadlober, K. Kalcher, G. Raber and C. Neuhold (Graz, Austria) 1915

Stopped-flow kinetic determination of aluminum in Chinese tea leaves by fluoride ion-selective electrode potentiometry
H. Wang, Z. Zhang, A. Sun, D. Liu, R. Liu (Shandong, People's Republic of China) 2067
Solubility, dissociation and complexation with Nd(III) and Th(IV) of oxine, thenoyltrifluoracetone and 1,10-phenanthroline in 5.0 m NaCl
Y.-X. Xia, J.-F. Chen, G.R. Choppin (Talahassee, FL, USA). 2073
Evaluation of dithiocarbamates and β-diketones as chelating agents in supercritical fluid extraction of Cd, Pb, and Hg from solid samples
C.M. Wai, S. Wang (Moscow, ID, USA), Y. Liu, V. Lopez-Avila (Mountain View, CA, USA), W.F. Beckert (Las Vegas, NV, USA) 2083
Solid-phase extraction of metal ions and their estimation in vitamins, steel and milk using 3-hydroxy-2-methyl-1,4-naphthoquinone-immobilized silica gel
B.S. Garg, J.S. Bist, R.K. Sharma, N. Bhojak (Delhi, India) 2093
Enhanced decompositions of some cyano complexes during diode array spectrophotometric measurements
G. López-Cueto (Alicante, Spain), J.F. Rodríguez-Medina, C. Ubide (San Sebastián, Spain). 2101
Simultaneous spectrophotometric determination of drugs in pharmaceutical preparations using multiple linear regression and partial least-squares regression, calibration and prediction methods
R.D. Bautista, F.J. Aberásturi, A.I. Jiménez, F. Jiménez (Tenerife, Spain) 2107
Extraction and determination of crown ethers from water samples using a membrane disk and gas chromatography
Y. Yamini (Tehran, Iran), M. Shamsipur (Kermanshah, Iran) 2117
Spectrophotometric and polarographic investigation of the ofloxacin–Cu(II) complexes
V. Kapetanović, Lj. Milovanović, M. Erceg (Belgrade, Yugoslavia) 2123
Determination of autoprotolysis constants of some non-aqueous solvents using coulometric titration
R. Mihajlović, Z. Simić, Lj. Mihajlović, M. Vukićević (Kragujevac, Yugoslavia). 2131
Spectrophotometric estimation of rhenium with 5-chloro-2-hydroxythiobenzhydrazide after its extraction separation using *n*-octylaniline
S.S. Sawant, M.A. Anuse, M.B. Chavan (Kolhapur, India) 2137
X-ray ionization and fragmentation for use with time-of-flight mass spectrometry
R.T. Pogue, V. Majidi (Lexington, KY, USA). 2143

Volume Contents, Author Index and Subject Index, Volume 43, 1996 III